06323435 89339704 PMID: 2668181 Record Identifier: 89339704

Immunological characterization of papain-induced fragments of Clostridium botulinum type A neurotoxin and interaction of the fragments with brain synaptosomes.

Kozaki S ; Miki A; Kamata Y; Ogasawara J; Sakaguchi G

Department of Veterinary Science, College of Agriculture, University of Osaka Prefecture, Japan.

Infection and immunity (UNITED STATES) Sep 1989, 57 (9) p2634-9,

ISSN 0019-9567 Journal Code: 0246127

Document type: Journal Article

Languages: ENGLISH

Main Citation Owner: NLM Other Citation Owner: NASA Record type: Completed Subfile: INDEX MEDICUS

After treatment of Clostridium botulinum type A neurotoxin with papain, three fragments (Mrs, 101,000, 45,000, and 43,000) were purified by hydrophobic and ion-exchange chromatography with a high-performance liquid chromatographic system. Immunoblotting analyses with monoclonal antibodies showed that the 101,000-dalton fragment consisted of the light chain and a part of the heavy chain (H-1 fragment) linked together by a disulfide bond, and the other two fragments were correlated to the remaining portion of the heavy chain (H-2 fragment). The 45,000- and 43,000-dalton fragments competed for binding of the 125I-labeled neurotoxin to effectively synaptosomes, while no inhibition was observed with the 101,000-dalton fragment. The results indicate that the H-2 fragment interacts with the binding site on the neural membrane. The binding of the neurotoxin was impaired by treatment of synaptosomes with neuraminidase. Incorporation of gangliosides into neuraminidase-treated synaptosomes resulted in the restoration of binding. The results suggest that gangliosides are one of the components of the toxin-binding site.

Tags: Animal; Support, Non-U.S. Gov't

Descriptors: Botulinum Toxins--immunology--IM; *Brain--metabolism--ME; *Clostridium botulinum --immunology--IM; *Neurotoxins--immunology--IM; *Papain--pharmacology--PD; *Synaptosomes--metabolism--ME; Antibodies, Monoclonal; Antigens, Bacterial--immunology--IM; Binding Sites, Antibody; Binding, Competitive; Botulinum Toxins--metabolism--ME; Botulinum Toxins--pharmacology--PD; Immunoblotting; Mice; Mice, Inbred BALB C; Molecular Weight; Neurotoxins--metabolism--ME; Neurotoxins--pharmacology--PD

CAS Registry No.: 0 (Antibodies, Monoclonal); 0 (Antigens, Bacterial); 0 (Binding Sites, Antibody); 0 (Botulinum Toxins); 0 (Neurotoxins)

Enzyme No.: EC 3.4.22.2 (Papain)
Record Date Created: 19890915
Record Date Completed: 19890915

Wolds 5/29/03 06610371 90235864 PMID: 2185020

The complete amino acid sequence of the Clostridium botulinum type A neurotoxin, deduced by nucleotide sequence analysis of the encoding gene.

Thompson D E; Brehm J K; Oultram J D; Swinfield T J; Shone C C; Atkinson T; Melling J; Minton N P

Division of Biotechnology, Centre for Applied Microbiology and Research, Porton Down, England.

European journal of biochemistry / FEBS (GERMANY, WEST) Apr 20 1990 189 (1) p73-81, ISSN 0014-2956 Journal Code: 0107600

Document type: Journal Article

Languages: ENGLISH
Main Citation Owner: NLM
Record type: Completed
Subfile: INDEX MEDICUS

A 26-mer oligonucleotide probe was synthesized (based on the determined amino acid sequence of the N-terminus of the Clostridium botulinum type A neurotoxin, BoNT/A) and used in Southern blot analysis to construct a restriction map of the region of the clostridial genome encompassing BoNT/A. The detailed information obtained enabled the cloning of the structural gene as three distinct fragments, none of which were capable of directing the expression of a toxic molecule. The central portion was cloned as a 2-kb PvuII-TaqI fragment and the remaining regions of the light chain and heavy chain as a 2.4-kb ScaI-TaqI fragment and a 3.4-kb HpaI-PvuII fragment, respectively. The nucleotide sequence of all three fragments was determined and an open reading frame identified, composed of 1296 codons corresponding to a polypeptide of 149 502 Da. The deduced amino acid sequence exhibited 33% similarity to tetanus toxin, with the most highly conserved regions occurring between the N-termini of the respective heavy chains. Conservation of Cys residues flanking the position at which the toxins are cleaved to yield the heavy chain and light chain allowed the tentative identification of those residues which probably form the disulphide bridges linking the two toxin subfragments.

Tags: Comparative Study

Descriptors: **Botulinum** Toxins--genetics--GE; *Clostridium **botulinum** --genetics--GE; *Genes, Structural, Bacterial; *Neurotoxins--genetics--GE; Amino Acid Sequence; Base Sequence; Cloning, Molecular; Escherichia coli --genetics--GE; Molecular Sequence Data; Oligonucleotide Probes --biosynthesis--BI; Sequence Homology, Nucleic Acid

Molecular Sequence Databank No.: GENBANK/X52066; GENBANK/UNKNOWN

CAS Registry No.: 0 (Botulinum Toxins); 0 (Neurotoxins); 0 (Oligonucleotide Probes)

Record Date Created: 19900606
Record Date Completed: 19900606

type A

06880738 91120847 PMID: 2126206

Botulinum neurotoxin type A: sequence of amino acids at the N-terminus and around the nicking site.

DasGupta B R ; Dekleva M L

Food Research Institute, University of Wisconsin, Madison 53706.

Biochimie (FRANCE) Sep 1990, 72 (9) p661-4, ISSN 0300-9084
Journal Code: 1264604

Contract/Grant No.: NS17742; NS; NINDS; NS24545; NS; NINDS

Document type: Journal Article

Languages: ENGLISH
Main Citation Owner: NLM
Record type: Completed
Subfile: INDEX MEDICUS

Clostridium botulinum synthesizes the type A botulinum neurotoxin (NT) as approximately 150 kDa single chain protein. Post-translational proteolytic processing yields a approximately 150 kDa dichain protein composed of a approximately 50 kDa light and approximately 100 kDa heavy chain , which has higher toxicity. Trypsin's action mimics the endogenous proteolytic processing. The proteolytic cleavages could occur at 4 sites. We have examined 2 such sites and defined the peptide sequences before and proteolytic processing. The N-terminal residues of the newly synthesized approximately 150 kDa single chain NT, Pro-Phe-Val-Asn-Lys-, remain intact at the N-terminus of the approximately 50 kDa light chain generated either in the clostridial culture or in vitro with trypsin or with a protease purified from the homologous bacterial culture. The clostridial protease cleaves the single chain NT in vitro, at 1/3 the distance from its N-terminus, on the amino side of Gly of the sequence -Gly-Tyr-Asn-Lys-Ala-Leu-Asn-Asp-Leu- before cleaving the bond Lys-Ala at a slower rate. The data indicate that the dichain NT is formed in the bacterial culture in at least 2 steps. Cleavage at X-Gly produces a approximately 100 kDa heavy chain -like fragment which is then truncated; cleavage 4 residues downstream at Lys-Ala, and excision of the tetrapeptide Gly-Tyr-Asn-Lys, generates the mature heavy chain with Ala as its N-terminal residue. The approximately 100 kDa heavy chain generated in vitro, by nicking the single chain NT with trypsin, also has Ala-Leu-Asnas the N-terminal residues.

Tags: Support, Non-U.S. Gov't; Support, U.S. Gov't, P.H.S.

Descriptors: *Amino Acid Sequence; *Botulinum Toxins--chemistry--CH; *Clostridium botulinum; Botulinum Toxins--genetics--GE; Clostridium botulinum--genetics--GE; Molecular Sequence Data; Protein Processing, Post-Translational

CAS Registry No.: 0 (Botulinum Toxins)

Record Date Created: 19910311
Record Date Completed: 19910311

08214580 94280521 PMID: 8011071

Covalent structure of botulinum neurotoxin type A: location of sulfhydryl groups, and disulfide bridges and identification of C-termini of light and heavy chains.

Krieglstein K G ; DasGupta B R; Henschen A H

Department of Molecular Biology and Biochemistry, University of California, Irvine 92717.

Journal of protein chemistry (UNITED STATES) Jan 1994, 13 (1) p49-57, ISSN 0277-8033 Journal Code: 8217321

Contract/Grant No.: NS17742; NS; NINDS

Document type: Journal Article

Languages: ENGLISH

Main Citation Owner: NLM Record type: Completed Subfile: INDEX MEDICUS


Botulinum neurotoxin Type A is synthesized by Clostridium botulinum as a approximately 150 kD single chain polypeptide. The posttranslational processing of the 1296 amino acid residue long gene product involves removal of the initiating methionine, formation of disulfide bridges, and limited proteolysis (nicking) by the bacterial protease(s). The mature dichain neurotoxin is made of a approximately 50-kD light chain and a approximately 100-kD heavy chain connected by a disulfide bridge. DNA derived amino acid sequence predicted a total of 9 Cys residues (Binz et al., 1990, J. Biol. Chem. 265, 9153-9158; Thompson et al., 1990, Eur. J. Biochem. 189, 73-81). Treatment of the dichain neurotoxin, dissolved in 6 M guanidine. HCl, with 4-vinylpyridine converted 5 Cys residues into S-pyridylethyl cysteine residues; but alkylation after mercaptolysis converted all 9 Cys residues in the S-pyridylethylated form. After confirming the predicted number of Cys residues by amino acid analysis, the positions of the 5 Cys residues carrying sulfhydryl groups and the 4 involved in disulfide bridges were determined by comparing the elution patterns in reversed-phase HPLC of the cyanogen bromide mixtures of the exclusively alkylated and the mercaptolyzed-alkylated neurotoxin. The chromatographically isolated components were identified by N-terminal amino sequence analysis. The HPLC patterns showed characteristic differences. The Cys residues predicted in positions 133, 164, 790, 966, and 1059 were found in the sulfhydryl form; Cys 429 and 453 were found disulfide-bridge connecting the light and heavy chains, and Cys 1234 and 1279 were found in an intrachain disulfide-bridge near the C-terminus in the heavy chain. (ABSTRACT TRUNCATED AT 250 WORDS)

Tags: Support, Non-U.S. Gov't; Support, U.S. Gov't, P.H.S.

Descriptors: *Botulinum Toxins--chemistry--CH; Amino Acid Sequence; Botulinum Toxins--biosynthesis--BI; Chromatography, High Pressure Liquid; Clostridium botulinum--metabolism--ME; Cyanogen Bromide; Disulfides --analysis--AN; Macromolecular Systems; Molecular Sequence Data; Neurotoxins--chemistry--CH; Peptide Fragments--chemistry--CH; Peptide Fragments--isolation and purification--IP; Sulfhydryl Compounds--analysis --AN; Trypsin

CAS Registry No.: 0 (Botulinum Toxins); 0 (Disulfides); 0 (Macromolecular Systems); 0 (Neurotoxins); 0 (Peptide Fragments); 0 (Sulfhydryl Compounds); 506-68-3 (Cyanogen Bromide)

Enzyme No.: EC 3.4.21.4 (Trypsin)
Record Date Created: 19940726
Record Date Completed: 19940726



NiceProt View of Swiss-Prot: P10844

Printer-friendly view

Quick BlastP search

[General] [Name and origin] [References] [Comments] [Cross-references] [Keywords] [Features] [Sequence] [Tools]

Note: most headings are clickable, even if they don't appear as links. They link to the <u>user manual</u> or other documents.

General information about the entry

Entry name	BXB_CLOBO
Primary accession number	P10844
Secondary accession number	P10843
Entered in Swiss-Prot in	Release 11, July 1989
Sequence was last modified in	Release 26, July 1993
Annotations were last modified in	Release 42, September 2003

Name and origin of the	e protein			
Protein name	Botulinum neurotoxin type B [Precursor]			
Synonyms EC 3.4.24.69 BoNT/B Bontoxilysin B				
Gene name	ВОТВ			
From	Clostridium botulinum [TaxID: 1491]			
Taxonomy	Bacteria; Firmicutes; Clostridia; Clostridiales; Clostridiaceae; Clostridium.			

References

[1] SEQUENCE FROM NUCLEIC ACID.

MEDLINE=92384550; PubMed=1514783; [<u>NCBI</u>, <u>ExPASy</u>, <u>EBI</u>, <u>Israel</u>, <u>Japan</u>]

Whelan S.M., Elmore M.J., Bodsworth N.J., Brehm J.K., Atkinson T., Minton N.P.;

"Molecular cloning of the Clostridium botulinum structural gene encoding the type B neurotoxin and determination of its entire nucleotide sequence.";

Appl. Environ. Microbiol. 58:2345-2354(1992).

[2] SEQUENCE OF <u>35-245</u> FROM NUCLEIC ACID.

STRAIN=NCTC 7273;

Szabo E.A., Pemberton J.M., Desmarchelier P.M.;

Submitted (APR-1992) to the EMBL/GenBank/DDBJ databases.

[3] SEQUENCE OF <u>633-993</u> FROM NUCLEIC ACID.

STRAIN=NCTC 7273;

MEDLINE=94013372; PubMed=8408542; [NCBI, ExPASy, EBI, Israel,

Japan]

Campbell K., East A.K., Collins M.D.;

"Gene probes for identification of the botulinal neurotoxin gene and specific identification of neurotoxin types B, E, and F.";

J. Clin. Microbiol. 31:2255-2262(1993).

[4] SEQUENCE OF <u>1-44</u> AND <u>441-466</u>.

STRAIN=657:

MEDLINE=89000987; PubMed=3139097; [<u>NCBI</u>, <u>ExPASy</u>, <u>EBI</u>, <u>Israel</u>, <u>Japan</u>]

<u>Dasgupta B.R., Datta A.;</u>

"Botulinum neurotoxin type B (strain 657): partial sequence and similarity with tetanus toxin.";

Biochimie 70:811-817(1988).

[5] SEQUENCE OF <u>1-16</u> AND <u>441-458</u>.

STRAIN=OKRA;

MEDLINE=85197963; PubMed=3888113; [NCBI, ExPASy, EBI, Israel, Japan]

Schmidt J.J., Sathyamoorthy V., Dasgupta B.R.;

"Partial amino acid sequences of botulinum neurotoxins types B and E."; Arch. Biochem. Biophys. 238:544-548(1985).

[6] IDENTIFICATION AS ZINC-PROTEASE.

MEDLINE=93054694; PubMed=1429690; [<u>NCBI</u>, <u>ExPASy</u>, <u>EBI</u>, <u>Israel</u>, <u>Japan</u>]

Schiavo G., Rossetto O., Santucci A., Dasgupta B.R., Montecucco C.; "Botulinum neurotoxins are zinc proteins.";

J. Biol. Chem. 267:23479-23483(1992).

[7] IDENTIFICATION OF SUBSTRATE.

MEDLINE=93063293; PubMed=1331807; [<u>NCBI, ExPASy, EBI, Israel,</u> <u>Japan]</u>

Schiavo G., Benfenati F., Poulain B., Rossetto O., de Laureto P.P., Dasgupta B.R., Montecucco C.;

"Tetanus and botulinum-B neurotoxins block neurotransmitter release by proteolytic cleavage of synaptobrevin.";

Nature 359:832-835(1992).

Comments

FUNCTION BOTULINUS TOXIN ACTS BY INHIBITING NEUROTRANSMITTER RELEASE. IT BINDS TO PERIPHERAL NEURONAL SYNAPSES, IS INTERNALIZED AND MOVES BY RETROGRADE TRANSPORT UP THE AXON INTO THE SPINAL CORD WHERE IT CAN MOVE BETWEEN POSTSYNAPTIC AND PRESYNAPTIC NEURONS. IT INHIBITS NEUROTRANSMITTER RELEASE BY ACTING AS A ZINC ENDOPEPTIDASE THAT CLEAVES THE 76-GLN-|-PHE-77 BOND OF SYNAPTOBREVIN-2.

CATALYTIC ACTIVITY: Limited hydrolysis of proteins of the neuroexocytosis apparatus, synaptobrevins, SNAP25 or syntaxin. No detected action on small molecule substrates.

COFACTOR: Binds 1 zinc ion per subunit (By similarity).

SUBUNIT: DISULFIDE-LINKED HETERODIMER OF A LIGHT CHAIN

(L) AND A HEAVY CHAIN (H). THE LIGHT CHAIN HAS THE

PHARMACOLOGICAL ACTIVITY, WHILE THE N-AND C-TERMINAL OF

THE HEAVY CHAIN MEDIATE CHANNEL FORMATION AND TOXIN

BINDING. RESPECTIVELY.

SUBCELLULAR LOCATION. Secreted.

MISCELLANEOUS: THERE ARE SEVEN ANTIGENICALLY DISTINCT FORMS OF BOTULINUM NEUROTOXIN: TYPES A, B, C1, D, E, F, AND G.

SIMILARITY: BELONGS TO PEPTIDASE FAMILY M27.

Copyright

This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See http://www.isb-sib.ch/announce/ or send an email to license@isb-sib.ch/)

Cross-references

EMBL	M81186; AAA23211.1; [EMBL / GenBank / DDBJ] [CoDingSequence] Z11934; CAA77991.1; [EMBL / GenBank / DDBJ] [CoDingSequence] X70817; CAA50148.1; [EMBL / GenBank / DDBJ] [CoDingSequence]				
PIR	A48940; A48940.				
PDB	1EPW; 01-NOV-00. [Expasy / RCSB] 1F31; 01-NOV-00. [Expasy / RCSB] 1F82; 16-AUG-00. [Expasy / RCSB] 1F83; 16-AUG-00. [Expasy / RCSB] 1FQH; 06-DEC-00. [Expasy / RCSB] 1G9A; 13-NOV-02. [Expasy / RCSB] 1G9B; 13-NOV-02. [Expasy / RCSB] 1G9C; 13-NOV-02. [Expasy / RCSB] 1G9D; 13-NOV-02. [Expasy / RCSB] 1IIE; 21-NOV-01. [Expasy / RCSB] Detailed list of linked structures.				
MEROPS	M27.002;				
InterPro	<u>IPRO00395</u> ; Bontoxilysin. <u>IPRO06025</u> ; Zn_MTpeptdse. <u>Graphical view of domain structure</u> .				
Pfam	<u>PF01742</u> ; Peptidase_M27; 1.				
PRINTS	PROO760; BONTOXILYSIN.				
ProDom	PD001963; Bontoxilysin; 1. [Domain structure / List of seq. sharing at least 1 domain]				
PROSITE	PS00142; ZINC_PROTEASE; 1.				
HOBACGEN	[Family / Alignment / Tree]				
BLOCKS	<u>P10844</u> .				
ProtoNet	<u>P10844</u> .				
ProtoMap	<u>P10844</u> .				
PRESAGE	<u>P10844</u> .				
DIP	<u>P10844</u> .				

ModBase	<u>P10844</u> .
SWISS-2DPAGE	Get region on 2D PAGE.

Keywords

Neurotoxin; <u>Transmembrane</u>; <u>Hydrolase</u>; <u>Metalloprotease</u>; <u>Zinc</u>; <u>3D-structure</u>.

Features



Feature table viewer



Feature aligner

	***			102/mid/25/em 2
Key	From	То	Length	Description
INIT_MET	0	0		
CHAIN	1	440	440	BOTULINUM NEUROTOXIN B, LIGHT-CHAIN.
CHAIN	441	1290	850	BOTULINUM NEUROTOXIN B, HEAVY-CHAIN.
METAL	229	229		ZINC (CATALYTIC) (BY SIMILARITY).
ACT_SITE	230	230		BY SIMILARITY.
METAL	233	233		ZINC (CATALYTIC) (BY SIMILARITY).
DISULFID	436	445		INTERCHAIN (PROBABLE).
CONFLICT	29	29		T -> M (IN REF. $\underline{4}$).
CONFLICT	217	217	÷	R -> G (IN REF. <u>2</u>).
CONFLICT	224	224		A -> S (IN REF. $\underline{2}$).
CONFLICT	463	463		S -> R (IN REF. $\underline{4}$).

Sequence information


Length: 1290 AA	
Length: 1290 AA [This is the length of the unprocessed	f
the unprocessed	
precursor]	

Molecular weight:
150670 Da [This is the
MW of the
unprocessed precursor]

CRC64: **D21746E2C024DF43**[This is a checksum on the sequence]

10	20 I	30 	40 I	50 I	60 I
PVTINNFNYN	DPIDNNNIIM	MEPPFARGTG	RYYKAFKITD	RIWIIPERYT	FGYKPEDFNK
70	80	90	100	110	120
SSGIFNRDVC	EYYDPDYLNT	NDKKNIFLQT	MIKLFNRIKS	KPLGEKLLEM	IINGIPYLGD
130	140	150	160	170	180
 RRVPLEEFNT	 NIASVTVNKL	 ISNPGEVERK	 KGIFANLIIF	GPGPVLNENE	TIDIGIONHF

190 	200	210	220	230	240
ASREGFGGIM	QMKFCPEYVS	VFNNVQENKĠ	ASIFNRRGYF	SDPALILMHĖ	LIHVLHGLYĠ
250 I	260 	270 	280	290 I	300
IKADDFbiab	NEKKFFMQST	DAIQAEELYT	FGGQDPSIIT	PSTDKSIYDK	VLQNFRGIVD
310	320	330	340	350	360
RLNKVLVCIS	DPNININIYK	NKFKDKYKFV	EDSEGKYSID	VESFDKLYKS	LMFGFTETNI
. 370	380	390	400	410	420
AENYKIKTRA	SYFSDSLPPV	KIKNLLDNEI	YTIEEGFNIS	DKDMEKEYRG	QNKAINKQAY
430	440	450	460	470	480
EEISKEHLAV	YKIQMCKSVK	APGICIDVDN	EDLFFIADKN	SFSDDLSKNE	RIEYNTQSNY
490	500	510	520	530 I	540 I
IENDFPINEL	ILDTDLISKI	ELPSENTESL	TDFNVDVPVY	EKQPAIKKIF	TDENTIFQYL
550	560	570	580	590	600
YSQTFPLDIR	DISLTSSFDD	ALLFSNKVYS	FFSMDYIKTA	NKVVEAGLFA	GWVKQIVNDF
610	620	630	640	650	660
VIEANKSNTM	DKIADISLIV	PYIGLALNVG	NETAKGNFEN	AFEIAGASIL	LEFIPELLIP
670	680	690	700	710	720
VVGAFLLESY	IDNKNKIIKT	IDNALTKRNE	KWSDMYGLIV	AQWLSTVNTQ	FYTIKEGMYK
730	740	750	760	770	780
ALNYQAQALE	EIIKYRYNIY	SEKEKSNINI	DFNDINSKLN	EGINQAIDNI	NNFINGCSVS
790	800	810	820	830	840
YLMKKMIPLA	VEKLLDFDNT	rkknrrnaid 1	ENKLYLIGSA	EYEKSKVNKY	LKTIMPFDLS
850	860	870 I	880	890	900
IYTNDTILIE	MFNKYNSEIL	NNIILNLRYK	DNNLIDLSGY	GAKVEVYDGV	ELNDKNQFKL
910	920	930	940	950	960
TSSANSKIRV	TQNQNIIFNS	VFLDFSVSFW	IRIPKYKNDG	IQNYIHNEYT	IINCMKNNSG
970	980	990	1000	1010	1020
WKISIRGNRI	IWTLIDINGK	TKSVFFEYNI	REDISEYINR	WFFVTITNNL	NNAKIYINGK
1030	1040	1050	1060	1070	1080
LESNTDIKDI	REVIANGEII	FKLDGDIDRT	QFIWMKYFSI	FNTELSQSNI	EERYKIQSYS
1090	1100	1110	1120	1130	1140
EYLKDFWGNP	LMYNKEYYMF	NAGNKNSYIK	LKKDSPVGEI	LTRSKYNQNS	KYINYRDLYI



View entry in original Swiss-Prot format

View entry in raw text format (no links)

Report form for errors/updates in this Swiss-Prot entry

BLAST submission on ExPASy/SIB or at NCBI (USA)



Sequence analysis tools: <u>ProtParam</u>, <u>ProtScale</u>, <u>Compute pI/Mw</u>, <u>PeptideMass</u>, <u>PeptideCutter</u>, <u>Dotlet</u> (Java)



ScanProsite, MotifScan



Search the <u>SWISS-MODEL</u> <u>Repository</u>



Swiss-Prot: BXB_CLOBO

The section of the sequence <u>BXB_CLOBO</u> (P10844) you have selected corresponds to:

SEOUENCE

44

In one-letter code:

	1	11	21	31	41	51	
1	PVTINNFNYN	DPIDNNNIIM	MEPPFARGTG	RYYKAFKITD	RIWIIPERYT	FGYKPEDFNK	60
61	SSGIFNRDVC	EYYDPDYLNT	NDKKNIFLQT	MIKLFNRIKS	KPLGEKLLEM	IINGIPYLGD	120
121	RRVPLEEFNT	NIASVTVNKL	ISNPGEVERK	KGIFANLIIF	GPGPVLNENE	TIDIGIQNHF	180
181	ASREGFGGIM	QMKFCPEYVS	VFNNVQENKG	ASIFNRRGYF	SDPALILMHE	LIHVLHGLYG	240
241	IKVDDLPIVP	NEKKFFMQST	DAIQAEELYT	FGGQDPSIIT	PSTDKSIYDK	VLQNFRGIVD	300
301	RLNKVLVCIS	DPNININIYK	NKFKDKYKFV	EDSEGKYSID	VESFDKLYKS	LMFGFTETNI	360
361	AENYKIKTRA	SYFSDSLPPV	KIKNLLDNEI	YTIEEGFNIS	DKDMEKEYRG	QNKAINKQAY	420
421	EEISKEHLAV	YKIQMCKSVK	APGICIDVDN	EDLFFIADKN	SFSDDLSKNE	RIEYNTQSNY	480
481	IENDFPINEL	ILDTDLISKI	ELPSENTESL	TDFNVDVPVY	EKQPAIKKIF	TDENTIFQYL	540
541	YSQTFPLDIR	DISLTSSFDD	ALLFSNKVYS	FFSMDYIKTA	NKVVEAGLFA	GWVKQIVNDF	600
601	VIEANKSNTM	DKIADISLIV	PYIGLALNVG	NETAKGNFEN	AFEIAGASIL	LEFIPELLIP	660
661	VVGAFLLESY	IDNKNKIIKT	IDNALTKRNE	KWSDMYGLIV	AQWLSTVNTQ	FYTIKEGMYK	720
721	ALNYQAQALE	EIIKYRYNIY	SEKEKSNINI	DFNDINSKLN	EGINQAIDNI	NNFINGCSVS	780
781	YLMKKMIPLA	VEKLLDFDNT	LKKNLLNYID	ENKLYLIGSA	EYEKSKVNKY	LKTIMPFDLS	840
841	IYTNDTILIE	MFNKYNSEIL	NNIILNLRYK	DNNLIDLSGY	GAKVEVYDGV	ELNDKNQFKL	900
901	TSSANSKIRV	TQNQNIIFNS	VFLDFSVSFW	IRIPKYKNDG	IQNYIHNEYT	IINCMKNNSG	960
961	WKISIRGNRI	IWTLIDINGK	TKSVFFEYNI	REDISEYINR	WFFVTITNNL	NNAKIYINGK	1020
1021	LESNTDIKDI	REVIANGEII	FKLDGDIDRT	QFIWMKYFSI	FNTELSQSNI	EERYKIQSYS	1080
1081	EYLKDFWGNP	LMYNKEYYMF	NAGNKNSYIK	LKKDSPVGEI	LTRSKYNQNS	KYINYRDLYI	1140
1141	GEKFIIRRKS	NSQSINDDIV	RKEDYIYLDF	FNLNQEWRVY	TYKYFKKEEE	KLFLAPISDS	1200
1201	DEFYNTIQIK	EYDEQPTYSC	QLLFKKDEES	TDEIGLIGIH	RFYESGIVFE	EYKDYFCISK	1260
1261	WYLKEVKRKP	YNLKLGCNWQ	FIPKDEGWTE				

In three-letter code:

```
7
                  5
                       6
                               8
                                   9 10 11 12 13 14 15
 1 Pro Val Thr Ile Asn Asn Phe Asn Tyr Asn Asp Pro Ile Asp Asn
                                                                  15
16 Asn Asn Ile Ile Met Met Glu Pro Pro Phe Ala Arg Gly Thr Gly
31 Arg Tyr Tyr Lys Ala Phe Lys Ile Thr Asp Arg Ile Trp Ile Ile
                                                                 45
46 Pro Glu Arg Tyr Thr Phe Gly Tyr Lys Pro Glu Asp Phe Asn Lys
                                                                  60
61 Ser Ser Gly Ile Phe Asn Arg Asp Val Cys Glu Tyr Tyr Asp Pro
                                                                 75
76 Asp Tyr Leu Asn Thr Asn Asp Lys Lys Asn Ile Phe Leu Gln Thr
                                                                 90
91 Met Ile Lys Leu Phe Asn Arg Ile Lys Ser Lys Pro Leu Gly Glu
```

106 Lys Leu Leu Glu Met Ile Ile Asn Gly Ile Pro Tyr Leu Gly Asp 121 Arg Arg Val Pro Leu Glu Glu Phe Asn Thr Asn Ile Ala Ser Val 135 136 Thr Val Asn Lys Leu Ile Ser Asn Pro Gly Glu Val Glu Arg Lys 150 151 Lys Gly Ile Phe Ala Asn Leu Ile Ile Phe Gly Pro Gly Pro Val 165 166 Leu Asn Glu Asn Glu Thr Ile Asp Ile Gly Ile Gln Asn His Phe 180 181 Ala Ser Arg Glu Gly Phe Gly Gly Ile Met Gln Met Lys Phe Cys 195 196 Pro Glu Tyr Val Ser Val Phe Asn Asn Val Gln Glu Asn Lys Gly 210 211 Ala Ser Ile Phe Asn Arg Gly Tyr Phe Ser Asp Pro Ala Leu 225 226 Ile Leu Met His Glu Leu Ile His Val Leu His Gly Leu Tyr Gly 240 241 Ile Lys Val Asp Asp Leu Pro Ile Val Pro Asn Glu Lys Lys Phe 255 256 Phe Met Gln Ser Thr Asp Ala Ile Gln Ala Glu Glu Leu Tyr Thr 270 271 Phe Gly Gly Gln Asp Pro Ser Ile Ile Thr Pro Ser Thr Asp Lys 285 286 Ser Ile Tyr Asp Lys Val Leu Gln Asn Phe Arg Gly Ile Val Asp 300 301 Arg Leu Asn Lys Val Leu Val Cys Ile Ser Asp Pro Asn Ile Asn 316 Ile Asn Ile Tyr Lys Asn Lys Phe Lys Asp Lys Tyr Lys Phe Val 331 Glu Asp Ser Glu Gly Lys Tyr Ser Ile Asp Val Glu Ser Phe Asp 346 Lys Leu Tyr Lys Ser Leu Met Phe Gly Phe Thr Glu Thr Asn Ile 361 Ala Glu Asn Tyr Lys Ile Lys Thr Arg Ala Ser Tyr Phe Ser Asp 376 Ser Leu Pro Pro Val Lys Ile Lys Asn Leu Leu Asp Asn Glu Ile 391 Tyr Thr Ile Glu Glu Gly Phe Asn Ile Ser Asp Lys Asp Met Glu 405 406 Lys Glu Tyr Arg Gly Gln Asn Lys Ala Ile Asn Lys Gln Ala Tyr 420 421 Glu Glu Ile Ser Lys Glu His Leu Ala Val Tyr Lys Ile Gln Met 435 436 Cys Lys Ser Val Lys Ala Pro Gly Ile Cys Ile Asp Val Asp Asn 450 451 Glu Asp Leu Phe Phe Ile Ala Asp Lys Asn Ser Phe Ser Asp Asp 466 Leu Ser Lys Asn Glu Arg Ile Glu Tyr Asn Thr Gln Ser Asn Tyr 480 481 Ile Glu Asn Asp Phe Pro Ile Asn Glu Leu Ile Leu Asp Thr Asp 495 496 Leu Ile Ser Lys Ile Glu Leu Pro Ser Glu Asn Thr Glu Ser Leu 510 511 Thr Asp Phe Asn Val Asp Val Pro Val Tyr Glu Lys Gln Pro Ala 525 526 Ile Lys Lys Ile Phe Thr Asp Glu Asn Thr Ile Phe Gln Tyr Leu 540 541 Tyr Ser Gln Thr Phe Pro Leu Asp Ile Arg Asp Ile Ser Leu Thr 556 Ser Ser Phe Asp Asp Ala Leu Leu Phe Ser Asn Lys Val Tyr Ser 570 571 Phe Phe Ser Met Asp Tyr Ile Lys Thr Ala Asn Lys Val Val Glu 586 Ala Gly Leu Phe Ala Gly Trp Val Lys Gln Ile Val Asn Asp Phe 600 601 Val Ile Glu Ala Asn Lys Ser Asn Thr Met Asp Lys Ile Ala Asp 615 616 Ile Ser Leu Ile Val Pro Tyr Ile Gly Leu Ala Leu Asn Val Gly 630 631 Asn Glu Thr Ala Lys Gly Asn Phe Glu Asn Ala Phe Glu Ile Ala 645 646 Gly Ala Ser Ile Leu Leu Glu Phe Ile Pro Glu Leu Leu Ile Pro 660 661 Val Val Gly Ala Phe Leu Leu Glu Ser Tyr Ile Asp Asn Lys Asn 675 676 Lys Ile Ile Lys Thr Ile Asp Asn Ala Leu Thr Lys Arg Asn Glu 690 691 Lys Trp Ser Asp Met Tyr Gly Leu Ile Val Ala Gln Trp Leu Ser 705 706 Thr Val Asn Thr Gln Phe Tyr Thr Ile Lys Glu Gly Met Tyr Lys 720 721 Ala Leu Asn Tyr Gln Ala Gln Ala Leu Glu Glu Ile Ile Lys Tyr 735 736 Arg Tyr Asn Ile Tyr Ser Glu Lys Glu Lys Ser Asn Ile Asn Ile 750 751 Asp Phe Asn Asp Ile Asn Ser Lys Leu Asn Glu Gly Ile Asn Gln 765 766 Ala Ile Asp Asn Ile Asn Asn Phe Ile Asn Gly Cys Ser Val Ser 780 781 Tyr Leu Met Lys Lys Met Ile Pro Leu Ala Val Glu Lys Leu Leu 795 796 Asp Phe Asp Asn Thr Leu Lys Lys Asn Leu Leu Asn Tyr Ile Asp 810 811 Glu Asn Lys Leu Tyr Leu Ile Gly Ser Ala Glu Tyr Glu Lys Ser 825 826 Lys Val Asn Lys Tyr Leu Lys Thr Ile Met Pro Phe Asp Leu Ser 841 Ile Tyr Thr Asn Asp Thr Ile Leu Ile Glu Met Phe Asn Lys Tyr 855 856 Asn Ser Glu Ile Leu Asn Asn Ile Ile Leu Asn Leu Arg Tyr Lys 870 871 Asp Asn Asn Leu Ile Asp Leu Ser Gly Tyr Gly Ala Lys Val Glu 885 886 Val Tyr Asp Gly Val Glu Leu Asn Asp Lys Asn Gln Phe Lys Leu 900 901 Thr Ser Ser Ala Asn Ser Lys Ile Arg Val Thr Gln Asn Gln Asn 915 916 Ile Ile Phe Asn Ser Val Phe Leu Asp Phe Ser Val Ser Phe Trp 930 931 Ile Arg Ile Pro Lys Tyr Lys Asn Asp Gly Ile Gln Asn Tyr Ile 945 946 His Asn Glu Tyr Thr Ile Ile Asn Cys Met Lys Asn Asn Ser Gly 960 961 Trp Lys Ile Ser Ile Arg Gly Asn Arg Ile Ile Trp Thr Leu Ile 975 976 Asp Ile Asn Gly Lys Thr Lys Ser Val Phe Phe Glu Tyr Asn Ile 990 991 Arg Glu Asp Ile Ser Glu Tyr Ile Asn Arg Trp Phe Phe Val Thr 1005 1006 Ile Thr Asn Asn Leu Asn Asn Ala Lys Ile Tyr Ile Asn Gly Lys 1020 1021 Leu Glu Ser Asn Thr Asp Ile Lys Asp Ile Arg Glu Val Ile Ala 1036 Asn Gly Glu Ile Ile Phe Lys Leu Asp Gly Asp Ile Asp Arg Thr 1051 Gln Phe Ile Trp Met Lys Tyr Phe Ser Ile Phe Asn Thr Glu Leu 1066 Ser Gln Ser Asn Ile Glu Glu Arg Tyr Lys Ile Gln Ser Tyr Ser

```
1081 Glu Tyr Leu Lys Asp Phe Trp Gly Asn Pro Leu Met Tyr Asn Lys
1096 Glu Tyr Tyr Met Phe Asn Ala Gly Asn Lys Asn Ser Tyr Ile Lys
1111 Leu Lys Lys Asp Ser Pro Val Gly Glu Ile Leu Thr Arg Ser Lys
1126 Tyr Asn Gln Asn Ser Lys Tyr Ile Asn Tyr Arg Asp Leu Tyr Ile
1141 Gly Glu Lys Phe Ile Ile Arg Arg Lys Ser Asn Ser Gln Ser Ile
1156 Asn Asp Asp Ile Val Arg Lys Glu Asp Tyr Ile Tyr Leu Asp Phe
1171 Phe Asn Leu Asn Gln Glu Trp Arg Val Tyr Thr Tyr Lys Tyr Phe
1186 Lys Lys Glu Glu Glu Lys Leu Phe Leu Ala Pro Ile Ser Asp Ser
1201 Asp Glu Phe Tyr Asn Thr Ile Gln Ile Lys Glu Tyr Asp Glu Gln 1215
1216 Pro Thr Tyr Ser Cys Gln Leu Leu Phe Lys Lys Asp Glu Glu Ser
1231 Thr Asp Glu Ile Gly Leu Ile Gly Ile His Arg Phe Tyr Glu Ser 1245
1246 Gly Ile Val Phe Glu Glu Tyr Lys Asp Tyr Phe Cys Ile Ser Lys 1260
1261 Trp Tyr Leu Lys Glu Val Lys Arg Lys Pro Tyr Asn Leu Lys Leu
1276 Gly Cys Asn Trp Gln Phe Ile Pro Lys Asp Glu Gly Trp Thr Glu
```

Direct similarity search submission of this subsequence to

BLAST

BLAST submission on ExPASy/SIB or at NCBI (USA)



Sequence analysis tools: ProtParam, ProtScale, Compute pI/Mw, PeptideMass, PeptideCutter, Dotlet (Java)



ScanProsite



Direct Submission to SWISS-MODEL





Swiss-Pr t

```
ID
     CBBONT
                standard; DNA; PRO; 4041 BP.
XX
AC
     M81186;
XX
sv
     M81186.1
XX
     28-MAY-1992 (Rel. 32, Created)
DT
DT
     04-MAR-2000 (Rel. 63, Last updated, Version 4)
XX
DE
     Clostridium botulinum neurotoxin type B (botB) gene, complete cds.
XX
KW
     botB gene; neurotoxin type B.
XX
os
     Clostridium botulinum
OC
     Bacteria; Firmicutes; Clostridia; Clostridiales; Clostridiaceae;
OC
     Clostridium.
XX
RN
     [1]
RΡ
     1-4041
     Whelan S.M., Elmore M.J., Bodsworth N.J., Brehm J.K., Atkinson T.,
RA
RA
     Minton N.P.;
RT
     "Complete nucleotide sequence of the Clostridium botulinum gene encoding
RT
     the type B neurotoxin";
RL
     Unpublished.
XX
DR
     GOA; P10844; P10844.
DR
     SWISS-PROT; P10844; BXB CLOBO.
XX
FH
                     Location/Qualifiers
     Key
FH
FT
     source
                     1..4041
FT
                     /db xref="taxon:1491"
FT
                     /organism="Clostridium botulinum"
     CDS
FT
                     57..3932
FT
                     /codon start=1
FT
                     /db xref="GOA:P10844"
FT
                     /db xref="SWISS-PROT:P10844"
FT
                     /transl_table=11
FT
                     /function="vertebrate neurotoxin"
                     /product="neurotoxin type B"
FT
FT
                     /gene="botB"
FT
                     /protein id="AAA23211.1"
FT
                      translation="MPVTINNFNYNDPIDNNNIIMMEPPFARGTGRYYKAFKITDRIWI"
FT
                     IPERYTFGYKPEDFNKSSGIFNRDVCEYYDPDYLNTNDKKNIFLOTMIKLFNRIKSKPL
FT
                     GEKLLEMIINGIPYLGDRRVPLEEFNTNIASVTVNKLISNPGEVERKKGIFANLIIFGP
FT
                     GPVLNENETIDIGIQNHFASREGFGGIMQMKFCPEYVSVFNNVQENKGASIFNRRGYFS
FT
                     DPALILMHELIHVLHGLYGIKVDDLPIVPNEKKFFMQSTDAIQAEELYTFGGQDPSIIT
FT
                     PSTDKSIYDKVLQNFRGIVDRLNKVLVCISDPNININIYKNKFKDKYKFVEDSEGKYSI
FT
                     DVESFDKLYKSLMFGFTETNIAENYKIKTRASYFSDSLPPVKIKNLLDNEIYTIEEGFN
FT
                     ISDKDMEKEYRGQNKAINKQAYEEISKEHLAVYKIQMCKSVKAPGICIDVDNEDLFFIA
FT
                     DKNSFSDDLSKNERIEYNTQSNYIENDFPINELILDTDLISKIELPSENTESLTDFNVD
FT
                     VPVYEKQPAIKKIFTDENTIFQYLYSQTFPLDIRDISLTSSFDDALLFSNKVYSFFSMD
FT
                     YIKTANKVVEAGLFAGWVKQIVNDFVIEANKSNTMDKIADISLIVPYIGLALNVGNETA
                     KGNFENAFEIAGASILLEFIPELLIPVVGAFLLESYIDNKNKIIKTIDNALTKRNEKWS
FT
                     DMYGLIVAQWLSTVNTQFYTIKEGMYKALNYQAQALEEIIKYRYNIYSEKEKSNINIDF
FT
                     NDINSKLNEGINQAIDNINNFINGCSVSYLMKKMIPLAVEKLLDFDNTLKKNLLNYIDE
FT
FT
                     NKLYLIGSAEYEKSKVNKYLKTIMPFDLSIYTNDTILIEMFNKYNSEILNNIILNLRYK
FT
                     DNNLIDLSGYGAKVEVYDGVELNDKNQFKLTSSANSKIRVTQNQNIIFNSVFLDFSVSF
FT
                     WIRIPKYKNDGIQNYIHNEYTIINCMKNNSGWKISIRGNRIIWTLIDINGKTKSVFFEY
FT
                     NIREDISEYINRWFFVTITNNLNNAKIYINGKLESNTDIKDIREVIANGEIIFKLDGDI
FT
                     DRTQFIWMKYFSIFNTELSQSNIEERYKIQSYSEYLKDFWGNPLMYNKEYYMFNAGNKN
FT
                     SYIKLKKDSPVGEILTRSKYNQNSKYINYRDLYIGEKFIIRRKSNSQSINDDIVRKEDY
FT
                     IYLDFFNLNQEWRVYTYKYFKKEEEKLFLAPISDSDEFYNTIQIKEYDEQPTYSCQLLF
FT
                     KKDEESTDEIGLIGIHRFYESGIVFEEYKDYFCISKWYLKEVKRKPYNLKLGCNWOFIP
FT
                     KDEGWTE"
```

XX SQ

Sequence 4041 BP; 1679 A; 383 C; 645 G; 1334 T; 0 other; 60 tgcgcattta tgggcattaa aagggatata aacttaaaat aaggaggaga atatttatgc 120 cagttacaat aaataatttt aattataatg atcctattga taataataat attattatga 180 tggagcctcc atttgcgaga ggtacgggga gatattataa agcttttaaa atcacagatc gtatttggat aataccggaa agatatactt ttggatataa acctgaggat tttaataaaa 240 gttccggtat ttttaataga gatgtttgtg aatattatga tccagattac ttaaatacta 300 360 aaccattggg tgaaaagtta ttagagatga ttataaatgg tataccttat cttggagata 420 gacgtgttcc actcgaagag tttaacacaa acattgctag tgtaactgtt aataaattaa 480 tcagtaatcc aggagaagtg gagcgaaaaa aaggtatttt cgcaaattta ataatatttg 540 gacctgggcc agttttaaat gaaaatgaga ctatagatat aggtatacaa aatcattttg 600 catcaaggga aggcttcggg ggtataatgc aaatgaagtt ttgcccagaa tatgtaagcg 660 tatttaataa tgttcaagaa aacaaaggcg caagtatatt taatagacgt ggatattttt 720 cagatccagc cttgatatta atgcatgaac ttatacatgt tttacatgga ttatatggca 780 840 ttaaagtaga tgatttacca attgtaccaa atgaaaaaaa atttttatg caatctacag atgctataca ggcagaagaa ctatatacat ttggaggaca agatcccagc atcataactc 900 960 cttctacgga taaaagtatc tatgataaag ttttgcaaaa ttttagaggg atagttgata gacttaacaa ggttttagtt tgcatatcag atcctaacat taatattaat atatataaaa 1020 1080 ataaatttaa agataaatat aaattcgttg aagattctga gggaaaatat agtatagatg 1140 tagaaagttt tgataaatta tataaaagct taatgtttgg ttttacagaa actaatatag 1200 cagaaaatta taaaataaaa actagagctt cttattttag tgattcctta ccaccagtaa 1260 aaataaaaaa tttattagat aatgaaatct atactataga ggaagggttt aatatatctg ataaagatat ggaaaaagaa tatagaggtc agaataaagc tataaataaa caagcttatg 1320 aagaaattag caaggagcat ttggctgtat ataagataca aatgtgtaaa agtgttaaag 1380 1440 ctccaggaat atgtattgat gttgataatg aagatttgtt ctttatagct gataaaaata 1500 1560 tagaaaatga cttccctata aatgaattaa ttttagatac tgatttaata agtaaaatag 1620 aattaccaag tgaaaataca gaatcactta ctgattttaa tgtagatgtt ccagtatatg aaaaacaacc cgctataaaa aaaattttta cagatgaaaa taccatcttt caatatttat 1680 actotoagac atttootota gatataagag atataagttt aacatottoa titgatgatg 1740 cattattatt ttctaacaaa gtttattcat ttttttctat ggattatatt aaaactgcta 1800 1860 ataaagtggt agaagcagga ttatttgcag gttgggtgaa acagatagta aatgattttg 1920 taatcgaagc taataaaagc aatactatgg ataaaattgc agatatatct ctaattgttc cttatatagg attagcttta aatgtaggaa atgaaacagc taaaggaaat tttgaaaatg 1980 cttttgagat tgcaggagcc agtattctac tagaatttat accagaactt ttaatacctg 2040 tagttggagc ctttttatta gaatcatata ttgacaataa aaataaaatt attaaaacaa 2100 tagataatgc tttaactaaa agaaatgaaa aatggagtga tatgtacgga ttaatagtag 2160 2220 cgcaatggct ctcaacagtt aatactcaat tttatacaat aaaagaggga atgtataagg 2280 ctttaaatta tcaagcacaa gcattggaag aaataataaa atacagatat aatatatat 2340 ctgaaaaaga aaagtcaaat attaacatcg attttaatga tataaattct aaacttaatg 2400 agggtattaa ccaagctata gataatataa ataattttat aaatggatgt tctgtatcat atttaatgaa aaaaatgatt ccattagctg tagaaaaatt actagacttt gataatactc 2460 2520 aatatgaaaa atcaaaagta aataaatact tgaaaaccat tatgccgttt gatctttcaa 2580 tatataccaa tgatacaata ctaatagaaa tgtttaataa atataatagc gaaattttaa 2640. 2700 ataatattat cttaaattta agatataagg ataataattt aatagattta tcaggatatg gggcaaaggt agaggtatat gatggagtcg agcttaatga taaaaatcaa tttaaattaa 2760 2820 ctagttcagc aaatagtaag attagagtga ctcaaaatca gaatatcata tttaatagtg tgttccttga ttttagcgtt agcttttgga taagaatacc taaatataag aatgatggta 2880 2940 tacaaaatta tattcataat gaatatacaa taattaattg tatgaaaaat aattcgggct ggaaaatatc tattaggggt aataggataa tatggacttt aattgatata aatggaaaaa 3000 ccaaatcggt atttttgaa tataacataa gagaagatat atcagagtat ataaatagat 3060 ggttttttgt aactattact aataatttga ataacgctaa aatttatatt aatggtaagc 3120 tagaatcaaa tacagatatt aaagatataa gagaagttat tgctaatggt gaaataatat 3180 ttaaattaga tggtgatata gatagaacac aatttatttg gatgaaatat ttcagtattt 3240 3300 ttaatacgga attaagtcaa tcaaatattg aagaaagata taaaattcaa tcatatagcg aatatttaaa agatttttgg ggaaatcctt taatgtacaa taaagaatat tatatgttta 3360 atgcggggaa taaaaattca tatattaaac taaagaaaga ttcacctgta ggtgaaattt 3420 taacacgtag caaatataat caaaattcta aatatataaa ttatagagat ttatatattg 3480 3540 gagaaaaatt tattataaga agaaagtcaa attctcaatc tataaatgat gatatagtta 3600 gaaaagaaga ttatatatat ctagattttt ttaatttaaa tcaagagtgg agagtatata 3660 cctataaata ttttaagaaa gaggaagaaa aattgttttt agctcctata agtgattctg 3720 atgagtttta caatactata caaataaaag aatatgatga acagccaaca tatagttgtc agttgctttt taaaaaagat gaagaaagta ctgatgagat aggattgatt ggtattcatc 3780

gtttctacga	atctggaatt	gtatttgaag	agtataaaga	ttatttttgt	ataagtaaat	3840
ggtacttaaa	agaggtaaaa	aggaaaccat	ataatttaaa	attgggatgt	aattggcagt	3900
ttattcctaa	agatgaaggg	tggactgaat	aatataacta	tatgctcagc	aaacctattt	3960
tatataagaa	aagtttaagt	ttataaaatc	ttaagtttaa	ggatgtagct	aaattttgaa	4020
tattagataa	actacatgtt	t				4041

//